# Safety Data Sheet

# Section 1 - Chemical Product and Company Identification

### Product Name: Duralay II Quick Cure Powder White Company Identification:

Reliance Dental Mfg., LLC.

5805 W. 117<sup>th</sup> Place

Alsip, IL 60803

For Product Information, call: 708-597-6694 For Medical Information, call: 800-535-5053

Section	Section 2 - Hazards Identification	
Classification of the substance or mixture Hazard Class – Physical, Health, Environmental	Category	
Eye Damage/Irritation Skin Sensitizer	2A 1	
OCIIA Defined Herender Combustible duct may form as	mbustible dust concentrations in sir, synlasion bezard	

OSHA Defined Hazards: Combustible dust, may form combustible dust concentrations in air, explosion hazard

Label elements – Pictograms, Signal Word, Hazard Statements, Precautionary Statements & Supplemental Information



#### Signal Word Warning

#### Hazards Statements

- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation

### Precautionary Statements-Prevention, Response & Disposal

- P240 Ground and bond container and receiving equipment
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P264 Wash hands and exposed skin thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P321 Specific treatment (see...on this label)
- P363 Wash contaminated clothing before reuse
- P302+P352 IF ON SKIN: Wash with soap and water
- P305+P351 IF IN EYES: Rinse continuously with water for several
- +P338 minutes. Remove contact lenses if present and easy to do continue rinsing
- P333+P313 If skin irritation or a rash occurs. Get Medical advice/attention
- P337+P313 Get medical advice/attention
- P501 Dispose of contents/container to an authorized disposal facility

	Section	3 - Composition,	Information	on Ingredients
<b>Item</b> 01	<b>Chemical Name</b> P(MMA/EA)	<b>CAS #</b> 9010-88-2	<b>WT/WT%</b> 70 – 80	<b>GHS Ratings</b> Eye Damage/Irritation 2B(H320)
02	2-Propenoic, 2-Methyl-, Ethyl ester, homopolymer	9003-42-3	10 - 20	Eye damage/Irritation 2B(H320)

1 – 5

	Skin Sensitizer 1 (H317)	
	Section 4 - First Aid Measures	
General advice	Provide the SDS to medical personnel for treatment.	
Inhalation:	Remove victim to fresh air. Seek immediate medical attention.	
Eye Contact:	If product gets in the eyes, flush with lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.	
Skin Contact:	Rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.	
Clothing:	Remove contaminated clothing, wash thoroughly before reuse.	
Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give anything by mouth to an unconscious person. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. Get medical attention immediately.	
	Section 5 - Fire Fighting Measures	
Suitable Extinguishing Medi	a: Water, Chemical (alcohol-resistant) foam, dry chemical, or carbon dioxide.	
Unsuitable Extinguishing Me	dia: Water may not be effective in extinguishing this fire.	
Specific Hazards Arising fro	<b>n the Chemical:</b> Polymers are combustible dusts, care should be taken to avoid creating explosive concentrations in the air. Follow grounding and bonding procedures.	
Special Fire Fighting Proced	<b>ures:</b> Avoid extinguishing methods, which may generate dust clouds. Water stream can disperse dust into air producing a fire hazard and possible explosion hazard if exposed to ignition source. Firefighters should wear self-contained breathing apparatus.	
Protective Equipment and P	<b>ecautions for Firefighters:</b> Polymer dust is combustible. The explosive limits of the polymer particles suspended in air are approximately those of coal dust. Polymers are sensitive to static discharge, follow grounding and bounding procedures. Polymers are not sensitive to mechanical impacts.	

Section 6 - Accidental Release Measures

## Personal Precautions, Protective Equipment and Emergency Procedures

 Personal Precautions
 Before cleaning any spill or leak, individuals must wear appropriate Personal Protective

 Equipment that is specified in section 8.
 Keep airborne particulates at a minimum when cleaning up spills.

 Deny entry to all unprotected individuals.
 Remove any contaminated clothing and wash thoroughly before reuse.

 Evironmental Procautions
 Extinguish all ignition sources

**Evironmental Precautions** Extinguish all ignition sources. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. US regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800)424-8802.

## Methods and Material for Containment and Cleaning Up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Dike and contain spill with inert material (e.g. sand or earth). May contaminate water supply.

Methods for Cleaning Up Maximize ventilation (open doors and windows) and secure all sources of

Duralay II Quick Cure Powder White

<sup>2</sup> of 5

ignition. Use good, local ventilation with a minimum capture velocity of 100 ft/min (30 m/min) at point of product release. Place into appropriate closed container(s) for disposal in accordance with local, state and federal regulations. Wash all affected areas with plenty of warm water and soap. Not a RCRA Hazardous waste.

## Section 7 - Handling and Storage

PRECAUTIONS FOR HANDL	.ING
Advice on Safe handling:	Use in well ventilated areas. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Use good personal hygiene and housekeeping. Avoid prolonged contact with the product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.
Conditions for Sate Storage	, Including any Incompatibilities
Storage conditions:	Store containers in a cool, dry location, away from direct sunlight, heat, sparks, flame, other light sources, or sources of intense heat. The temperature should remain at or under 72°F (22°C) at all times. Storing above recommended temperature will cause product performance issues. Store in accordance with National Fire Protection Association recommendations. Observe all label precautions until the container is cleaned, reconditioned or destroyed.
Incompatible Materials:	Strong oxidizers, strong oxidizing agents
	Section 8 - Exposure Controls, Personal Protection

Chemical name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
P(MMA/EA) 9010-88-2			
2-Propenoic, 2-Methyl-, 9003- 42-3			
Benzoyl Peroxide 94-36-0	5mg/m3 TWA	5 mg/m3 TWA	NIOSH: 5 mg/m3 TWA

Engineering Controls

Use local explosion-proof ventilation that is adequate to keep employee exposure to airborne concentrations below exposure limits. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personnel Protective Equipment (PPE) Respiratory Protection	A respirator should be worn whenever workplace conditions warrant use of a respirator. If dust conditions are present, a N95 respirator dust mask is required. None required if airborne concentrations are maintained below any exposure limit that may be listed above. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134 or other appropriate governing standard.
Eye/Face Protection	Wear safety glasses, chemical goggles when splashing is possible, when dealing with this material. If necessary, refer to 29 CFR §1910.133, or other appropriate governing standard. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.
Skin and Body Protection	Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Full Contact:** Material: Nitrile rubber Minimum Layer thickness: 0.4 mm Break through time: 480 min.

**General Hygiene Considerations** 

Splash Contact: Material: Nitrile rubber Minimum Layer thickness: 0.11 mm Break through time: 120 min.

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. An eyewash station and a safety shower are recommended. Food, beverages, and tobacco products should not be carried, stored or consumed where this material is in use. Wash hands thoroughly before eating, drinking, or smoking.

	Sec	tion 9 - Physical and	Chemical Properties
APPEARANCE: ODOR: FLASH POINT: FLAMMABLE LIMIT (A EVAPORATION RATE BOILING RANGE (LO' SPECIFIC GRAVITY:	, ,	Fine White Faint odor 577°F, 30 0% No data a N/A 0.00	3°C
		Section 10 - Stabilit	y and Reactivity
MATERIAL STABILITY	Y	Stable	
INCOMPATIBILITY (M	ATERIALS TO AVO	DID): Strong oxi	dizing agents.
HAZARDOUS DECON	IPOSITION PRODU	CTS: Methacryl	ate Monomer and Oxides of Carbon when burned.
POSSIBILITY OF HAZ	ARDOUS REACTIO	NS Hazardou	s polymerization will not occur.
	:	Section 11 - Toxicolo	gical Information
MIXTURE TOXICITY Component Toxicity Routes of Exposure: Target Organs:		Eye Contact, and Inges and Respiratory Syster	
Effects of Overexpose Product Components	ure:		
CAS Number None	Description	%Weight	Carcinogen Rating No data available
		Section 12 - Ecolog	ical Information
Component Ecotoxic	itv		

**Component Ecotoxicity** 

Section 13 - Disposal Considerations

# WASTE DISPOSAL METHOD

**Disposal of Wastes:** Dispose of properly in accordance with Federal, State, and Local regulations. It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Comply with all applicable federal, state and local regulations. Waste disposal options include landfilling solids at permitted sites. Incinerate in a chemical incinerator equipped with an afterburner and scrubber. Use registered transporters.

**Contaminated Packaging:** Reuse of empty drums or containers is not recommended. Employees should be advised of the potential hazards, due to residual flammable material, associated with empty containers. Dispose of all empty containers properly, in accordance with Federal, State and Local regulations.

Section 14 - Transport Information
Proper Shipping NameUN NumberPacking GroupHazard ClassMethacrylate Polymer/Acrylic Copolymer Blends, NOSKethacrylate Polymer/Acrylic Copolymer Blends, NOSKethacrylate Polymer/Acrylic Copolymer Blends, NOS
Section 15 - Regulatory Information
<b>fornia Safe drinking Water and Toxic Enforcement Act of 1986</b> <b>65):</b> WARNING! This product contains the following chemicals which are listed by the State of California nic or a reproductive toxin:
Benzoyl Peroxide 94-36-0
ht-to-know Regulations
RegulationsAll Components ListedEINECSYesSARA Hazard categoriesNoTSCA InventoryYes
Section 16 - Additional Information
S MATERIAL IDENTIFICATION SYSTEM (HMIS) RATING:
LTH: 1 //MABILITY: 1 CTIVITY: 0 SONAL PROTECTIVE EQUIPMENT: B
IRE PROTECTION ASSOCIATION (NFPA) HAZARD IDENTIFICATION RATING:
LTH: 1 IMABILITY: 1 CTIVITY: 0
A Hazard Rating alth Hazard CANT E d Safety Glasses or Chemical Goggles.

Revised June 27, 2025

and may not be valid for such materials used in combination with any other materials on in any process, unless specified in the text.